

What is driving future fluvial flood risk in Europe?

March 20th, 2023



Photo: Flood of the Seine River in Paris in June 2016. (source: P. Guayacan, flickr.com)

Drivers of yood risk

Hazard, exposure and vulnerability are the drivers of 200d risk. Changes in hazard re2ect changes in 200d levels and 200d frequency due to climate change. Changes in exposure are changes in the number of people and the value of assets that can be a0ected by 200ding. Changes in vulnerability are changes in the impact of 200ding on exposed people and their assets. It its simplest form, risk equals probability times consequences. Changes in hazard are changes in 200d probability, changes in the combination of exposure and vulnerability re2ect changes in the consequences of 200ding.

Fluvial 200d risk in Europe is changing because hazard, exposure and vulnerability are changing. The contribution of these drivers to future 200d risk has been assessed, focused on residential buildings in the 27 member states of the European Union with the addition of the UK, Iceland, Norway, and Switzerland. This was done for a moderate and high-end scenario of climate change, using input from many climate models. Only European river

basins larger than 500 km^2 were included. The available data on 200d protection standards in these basins were included in the analysis.

Reference: current risk level

This assessment of 200d risk focuses on direct tangible loss to residential buildings caused by river 200ds (in 2015 prices). This risk is expressed as Expected Annual Damage, EAD. The 30-year period of 1981-2010 is chosen as a reference for future changes in 200d risk. In this reference period, 200d risk in Europe was almost 1 billion \mathbb{R} (median value). Without 200d protection, this risk level would have been 4.7 billion \mathbb{R} higher.

Of all European countries, risk in the reference period was highest for Germany, France, Italy and Spain. Scandinavian countries Norway, Sweden and Finland fall into the middle range of 200d risk in Europe, while 200d risk is lowest in Estonia, Denmark, Bulgaria, Iceland, and Cyprus. Flood risk is also low in The Netherlands, because of extremely high 200d protection standards.

Projected changes in hazard

On average for Europe, the projected contribution of climate change is an increase in 200d risk in 2085 by 125% and 200% under the moderate and high-end scenario of climate change, respectively. Climate change will probably contribute to increasing risk in the UK and Central Europe, from France to Hungary and from Denmark to northern Italy. Climate change will probably contribute to decreasing risk in parts of Scandinavia and the Mediterranean.

Projected changes in exposure

Changes in the value of exposed buildings will increase 200d risk all over Europe throughout the 21st century with highest rates of increase in Southeastern Europe. The British Isles and southern Sweden are also regions with substantial increases in exposure driven risk. Future projections indicate that exposure will increase 200d risk in Europe by 275% by 2085.

Hazard and exposure combined

This century, changes in exposure have a greater in 2 uence on risk than changes in climate driven hazard. By the end of the century, the combination of changes in exposure and climate are projected to increase 2 ood risk in Europe by 670% and 950% under the moderate and high-end scenario of climate change, respectively.

Reducing vulnerability by improved precaution

Part of the projected increase in 200d risk due to changes in hazard and exposure can be counterbalanced by changing vulnerability. In this assessment, vulnerability was reduced by implementing measures of precaution, including dry and wet prooling with 200d barriers, adapting use and 1tting of building elements at risk, and safeguarding of hazardous substances. These measures can counterbalance about 15% of the projected increase in 200d risk.

Source: Steinhausen et al. (2022). Global Environmental Change 76, 102559.